





Get better at Math.
Get better at
everything.

Come experience the Cuemath methodology and ensure your child stays ahead at math this summer.





Adaptive Platform



Interactive Visual Simulations



Personalized Attention

For Grades 1 - 10



LIVE online classes by trained and certified experts.


Get the Cuemath advantage

Book a FREE trial class



2-digit Subtraction Worksheets

- Q.1) Subtract the following numbers.
- a) 50 30 = __
- b) 98 76 = ___
- Q.2) Solve the following questions using the number line.



- a) $20 9 = ___$
- b) 19 13 = _
- Q.3) Find the value of:
 - 74
- 18
- ____
- ____
- Q.4) State if the following statement is true or false.
- 67 32 = 10
- Q.5) If you subtract 23 from 74 what do you get?
- a) 35
- b) 51
- c) 12
- Q.6) If Jack had 30 cookies and he gave 18 to his friend how many cookies does Jack have now?



Q.7) Fill in the blanks.



Q.8) There are a total of 70 students in a class. On Tuesday, 51 students were present. How many were absent?



- a) 19
- b) 20
- Q.9) Choose the correct option if we want 40 as the difference.
- a) 90 30
- b) 95 55

Q.10) Match the following.

Endy Francis rand variage	
a.) 45 - 10	i.) 10
b.) 67 – 15	ii.) 35
c.) 79 - 69	iii.) 52



When you learn math in an interesting way, you never forget.



25 Million

Math classes & counting

100K+

Students learning Math the right way

20+ Countries

Present across USA, UK, Singapore, India, UAE & more.

Why choose Cuemath?

"Cuemath is a valuable addition to our family. We love solving puzzle cards. My daughter is now visualizing maths and solving problems effectively!"

"Cuemath is great because my son has a one-on-one interaction with the teacher. The instructor has developed his confidence and I can see progress in his work. One-on-one interaction is perfect and a great bonus."

"I appreciate the effort that miss Nitya puts in to help my daughter understand the best methods and to explain why she got a problem incorrect.

She is extremely patient and generous with Miranda."

- Gary Schwartz

- Kirk Riley

- Barbara Cabrera

Get the Cuemath advantage

Book a FREE trial class



ANSWERS



Q.1)	a.) 20 b.) 22
Q.2)	a.) 11 b.) 6
Q.3)	56
Q.4)	False
Q.5)	b.) 51
Q.6)	12 cookies



THE HATTLE	N 5131
Q.7)	a.) 41 b.) 63
Q.8)	a) 19
Q.9)	b) 95 - 55 = 40
Q.10)	a-ii b-iii c-i



FUN FACT

- 1. When we subtract 0 from any number, the difference is the number itself. For example, 17 0 = 17.
- 2. When 1 is subtracted from any number, you get the previous number, or the predecessor. For example, 36 1 = 35.
- 3. Words such as "Minus", "Less", "Difference", "Decrease", usually mean that you need to subtract one number from the other.