

Get better at Math.  
Get better at  
everything.



Come experience the Cuemath methodology and ensure your child stays ahead at math this summer.



**Adaptive  
Platform**



**Interactive Visual  
Simulations**



**Personalized  
Attention**

For Grades 1 - 10



LIVE online classes  
by trained and  
certified experts.

Get the Cuemath advantage

**Book a FREE trial class**

## 2-digit Subtraction Worksheets

Q.1) Subtract the following numbers.

a)  $65 - 32 = \underline{\quad}$

b)  $90 - 76 = \underline{\quad}$

Q.2) When we subtract 53 from 98, we get 23.

a) True

b) False

Q.3) Jenna was taking 15 dogs for a walk. A few of them ran away leaving Jenna with only 5 dogs. How many dogs ran away?

a) 6

b) 5

c) 10

Q.4) Match the following.

a.) $67 - 27$	i.) 32
b.) $43 - 40$	ii.) 40
c.) $89 - 57$	iii.) 3

Q.5) Fill in the blank with the correct number.

$79 - \underline{\quad} = 30$

Q.6) Select the correct option to fill in the blank.

$\underline{\quad} - 36 = 27$

a) 63

b) 26

c) 97

Q.7) Choose the option which gives the difference as 17.

a)  $98 - 61$

b)  $34 - 17$


c)  $72 - 12$

Q.8) If we subtract 0 from 89 what do we get?

Q.9) Ashley bought 41 stamps and gave 27 to Britney, how many stamps does Ashley have now?



Q.10) Subtract the following questions using the number line.



a)  $20 - 10 = \underline{\quad}$

b)  $12 - 11 = \underline{\quad}$

When you learn math  
in an interesting way,  
you never forget.



**25 Million**

Math classes &  
counting

**100K+**

Students learning  
Math the right way

**20+ Countries**

Present across USA, UK,  
Singapore, India, UAE & more.

## Why choose Cuemath?

"Cuemath is a valuable addition to our family. We love solving puzzle cards. My daughter is now visualizing maths and solving problems effectively!"

- Gary Schwartz

"Cuemath is great because my son has a one-on-one interaction with the teacher. The instructor has developed his confidence and I can see progress in his work. One-on-one interaction is perfect and a great bonus."

- Kirk Riley

"I appreciate the effort that miss Nitya puts in to help my daughter understand the best methods and to explain why she got a problem incorrect. She is extremely patient and generous with Miranda."

- Barbara Cabrera

Get the Cuemath advantage

**Book a FREE trial class**

**ANSWERS**

Q.1)	a.) 33 b.) 14
Q.2)	b.) False
Q.3)	c.) 10 dogs
Q.4)	a-ii b-iii c-i
Q.5)	49
Q.6)	a.) 63



Q.7)	b) $34 - 17$
Q.8)	89
Q.9)	14 stamps
Q.10)	a.) 10 b.) 1

## FUN FACT

1. When we subtract 0 from any number, the difference is the number itself. For example,  $17 - 0 = 17$ .
2. When 1 is subtracted from any number, you get the previous number, or the predecessor. For example,  $36 - 1 = 35$ .
3. Words such as "Minus", "Less", "Difference", "Decrease", usually mean that you need to subtract one number from the other.

