


Get better at Math.
Get better at
everything.



Come experience the Cuemath methodology and ensure your child stays ahead at math this summer.



**Adaptive
Platform**



**Interactive Visual
Simulations**



**Personalized
Attention**

For Grades 1 - 10



LIVE online classes
by trained and
certified experts.

Get the Cuemath advantage


Book a FREE trial class

ADDING AND SUBTRACTING FRACTIONS WITH UNLIKE DENOMINATORS -II

- 1) Check whether the following equation is correct or not.

$$\frac{9}{20} + \frac{3}{5} - \frac{2}{10} = \frac{17}{20}$$

- 2) Thames and Paula participated in a baking competition as a team. James decorated $\frac{3}{8}$ th portion of a cake, while Paula decorated $\frac{1}{4}$ th. How much portion of the cake is left to be decorated.




- 3) Find: $\frac{6}{7} - (\frac{1}{3} + \frac{2}{5})$

- 4) Fill in the blanks:

The common denominator of $\frac{7}{24}$ and $\frac{5}{36}$ is _____.

- 5) Two kinds of fish can be found in a small tank that is 2 feet long. The blue fish is $\frac{2}{15}$ feet long and the orange fish is $\frac{7}{10}$ feet long. How much longer is the orange fish?



6) Find the missing term:

$$? + \frac{1}{2} - \frac{9}{11} = \frac{2}{3}$$

7) Shae spent $\frac{3}{4}$ of an hour biking and $\frac{5}{6}$ of an hour jogging. Afterwards, she swam for $\frac{1}{8}$ of an hour. How much time did Shae exercise before she went swimming?



8) Solve the given expressions and compare the result using = or $\neq$ signs.

$$\frac{1}{3} - \frac{1}{7} + \frac{1}{2} \quad \square \quad \frac{4}{21} + \frac{1}{2}$$

9) Fill in the blanks:

$$\frac{1}{3} - \frac{1}{6} + \frac{1}{12} = \underline{\hspace{2cm}}$$

10) When adding/subtracting fractions with unlike denominators you must first find their_____.

- a) LCF
- b) LCM
- c) HCF
- d) None of the above



When you learn math
in an interesting way,
you never forget.



25 Million

Math classes &
counting

100K+

Students learning
Math the right way

20+ Countries

Present across USA, UK,
Singapore, India, UAE & more.

Why choose Cuemath?

"Cuemath is a valuable addition to our family. We love solving puzzle cards. My daughter is now visualizing maths and solving problems effectively!"

- Gary Schwartz

"Cuemath is great because my son has a one-on-one interaction with the teacher. The instructor has developed his confidence and I can see progress in his work. One-on-one interaction is perfect and a great bonus."


- Kirk Riley

"I appreciate the effort that miss Nitya puts in to help my daughter understand the best methods and to explain why she got a problem incorrect. She is extremely patient and generous with Miranda."

- Barbara Cabrera

Get the Cuemath advantage

Book a FREE trial class



ANSWERS

1)	Incorrect
2)	$\frac{3}{8}$
3)	$\frac{13}{105}$
4)	$\frac{72}{17}$
5)	$\frac{30}{65}$
6)	$\frac{66}{66}$
7)	$1\frac{7}{12}$ hours
8)	=
9)	$\frac{1}{4}$
10)	b)

FUN FACT

The early applications of fractions included the division of food, supplies and the absence of a bullion currency.

If you have different denominators for the terms while adding or subtracting fractions, then you can either use cross multiplication or calculate the LCM of denominators and find and operate numerators accordingly.

The word fraction has its origin from the Latin word "fractio", meaning "to break".

