

Get better at Math.
Get better at
everything.



Come experience the Cuemath methodology and ensure your child stays ahead at math this summer.



**Adaptive
Platform**



**Interactive Visual
Simulations**



**Personalized
Attention**

For Grades 1 - 10



LIVE online classes
by trained and
certified experts.

Get the Cuemath advantage

Book a FREE trial class

Adding and Subtracting Mixed Numbers Worksheets

- 1) Josh daily had two meetings, one for $1\frac{1}{2}$ hours and the other for $1\frac{1}{4}$ hours. Today one meeting was $\frac{1}{2}$ hours shorter than scheduled. How much time was scheduled for the meeting today?



- 2) Solve: $2\frac{1}{2} + 1\frac{1}{4} =$ _____
- 3) To which number should the sum $2\frac{1}{2}$ and $1\frac{1}{4}$ be added to give $4\frac{1}{2}$ as the result?
- 4) State whether True or False:
A mixed fraction is the sum of a whole number and a proper fraction.
- 5) What is the common denominator of $2\frac{1}{2}$ and $1\frac{1}{4}$.
 a) 28
 b) 84
 c) 1
 d) None of the above
- 6) Evaluate the following mixed unlike fractions:
 $2\frac{1}{2} + 1\frac{1}{4} =$ _____

7) Find the missing term:

$$? + (3\frac{1}{4} + \frac{2}{3}) = 7\frac{2}{3}$$

8) In a grocery store, last month, the price of one pound of carrots was $\$2\frac{2}{5}$. This month, the price initially increased by $\$1\frac{1}{2}$ but later had a sudden drop by $\$\frac{2}{5}$. What is the price of a pound of carrots this month??



9) A number is $4\frac{3}{4}$ greater than the fraction $1\frac{2}{5}$. Find the number.

10) Fill in the blanks:

$$3\frac{7}{17} + \frac{9}{17} = \text{---} + \frac{5}{17}$$

When you learn math
in an interesting way,
you never forget.



25 Million

Math classes &
counting

100K+

Students learning
Math the right way

20+ Countries

Present across USA, UK,
Singapore, India, UAE & more.

Why choose Cuemath?

"Cuemath is a valuable addition to our family. We love solving puzzle cards. My daughter is now visualizing maths and solving problems effectively!"

- Gary Schwartz

"Cuemath is great because my son has a one-on-one interaction with the teacher. The instructor has developed his confidence and I can see progress in his work. One-on-one interaction is perfect and a great bonus."


- Kirk Riley

"I appreciate the effort that miss Nitya puts in to help my daughter understand the best methods and to explain why she got a problem incorrect. She is extremely patient and generous with Miranda."

- Barbara Cabrera

Get the Cuemath advantage

Book a FREE trial class

**ANSWERS**

1)	$5\frac{1}{4}$ hours
2)	$3\frac{1}{2}$
3)	$4\frac{1}{7}$
4)	True
5)	b)
6)	$3\frac{4}{9}$
7)	$3\frac{3}{4}$
8)	$\$3\frac{1}{2}$
9)	$6\frac{3}{20}$
10)	$3\frac{11}{17}$

FUN FACT

1. The word fraction originated from the Latin word 'fractio' that means 'to break'.
2. The fraction whose numerator is greater than the denominator is known as improper fraction.
3. Every fraction with denominator of powers of 10 can be written as a decimal notation.

