





Get better at Math.
Get better at
everything.

Come experience the Cuemath methodology and ensure your child stays ahead at math this summer.





Adaptive Platform



Interactive Visual Simulations



Personalized Attention

For Grades 1 - 10



LIVE online classes by trained and certified experts.

Get the Cuemath advantage

Book a FREE trial class



Adding and Subtracting Negative Numbers Worksheet-2

- 1) Find the sum: -80 + (-67)
- 2) What must be subtracted from -10 to get 35 as the answer?
- 3) Match the following:

1.	-33+(-109)	a)	4
2.	-701-34	b)	-142
3.	-90+94	c)	73
4.	-6-(-79)	d)	-735

4) If Ronny walks two steps ahead, then 4 steps backward, again 13 steps backward and finally 5 steps ahead. Find his direction and number of steps to be taken to reach the starting point?



5) Find the missing number.

6) Add -1 to -6 using the number line given below.





- 7) Solve the given expression: -177-(-60)+(-123)+(-13)
- 8) On Monday the temperature in a particular town is -2°C. If the temperature falls by 12°C next day, and rise by 7°C on Wednesday, find the temperature in the town on Wednesday.
- 9) If a submarine is at 25 feet below the sea level and it further goes 34 feet towards sea bed, what is the distance of submarine from the water surface?



10) Joseph has an overdraft balance of \$509 in his account. If he writes a check for \$65, what will Joseph's balance be?



When you learn math in an interesting way, you never forget.



25 Million

Math classes & counting

100K+

Students learning Math the right way

20+ Countries

Present across USA, UK, Singapore, India, UAE & more.

Why choose Cuemath?

"Cuemath is a valuable addition to our family. We love solving puzzle cards. My daughter is now visualizing maths and solving problems effectively!"

"Cuemath is great because my son has a one-on-one interaction with the teacher. The instructor has developed his confidence and I can see progress in his work. One-on-one interaction is perfect and a great bonus."

"I appreciate the effort that miss Nitya puts in to help my daughter understand the best methods and to explain why she got a problem incorrect.

She is extremely patient and generous with Miranda."

- Gary Schwartz

- Kirk Riley

- Barbara Cabrera

Get the Cuemath advantage

Book a FREE trial class







1)	-147	
2)	-45	
3)	1 - b, 2 - d, 3 - a, 4 - c	
4)	10 steps to be taken to reach	
	starting point	
5)	-900	
6)	-7	
7)	-253	
8)	-7°C	
9)	-59 feet	
10)	-574 dollars or overdraft \$574	



FUN FACT

- 1. <u>Addition</u> and <u>subtraction</u> of two <u>integers</u> will always result as an integer.
- 2. Value of negative numbers is less than zero.
- 3. Whenever there is a negative sign outside the bracket, the signs of the terms inside will change. For example, -(-a)=a

