





Get better at Math.
Get better at
everything.

Come experience the Cuemath methodology and ensure your child stays ahead at math this summer.





Adaptive Platform



Interactive Visual Simulations



Personalized Attention

For Grades 1 - 10



LIVE online classes by trained and certified experts.


Get the Cuemath advantage


**Book a FREE trial class** 



# **Drawing Angles Worksheets**


Draw each angle using a 180° protractor. Draw as shown in the example below.





WWW.CUEMATH.COM





Draw the following angles using a 180 degree protractor.

- 7. 78°
- 8. 98°
- 9.126°
- 10. 177°



When you learn math in an interesting way, you never forget.



### 25 Million

Math classes & counting

### 100K+

Students learning Math the right way

### 20+ Countries

Present across USA, UK, Singapore, India, UAE & more.

# Why choose Cuemath?

"Cuemath is a valuable addition to our family. We love solving puzzle cards. My daughter is now visualizing maths and solving problems effectively!"

"Cuemath is great because my son has a one-on-one interaction with the teacher. The instructor has developed his confidence and I can see progress in his work. One-on-one interaction is perfect and a great bonus."

"I appreciate the effort that miss Nitya puts in to help my daughter understand the best methods and to explain why she got a problem incorrect.

She is extremely patient and generous with Miranda."

- Gary Schwartz

- Kirk Riley

- Barbara Cabrera


Get the Cuemath advantage

Book a FREE trial class



## **ANSWERS**







6.	00 00 00 00 00 00 00 00 00 00 00 00 00
7, 8, 9, and 10	70 8d 90 100 100 100 100 100 100 100 100 100



#### **FUN FACT**

- 1. If a is the first term of an AP, d is the common difference, n refers to the number of terms, then  $a_n$  refers to the general term of the arithmetic sequence given as:  $a_n = a + (n-1)d$
- 2. If we have the first term a, the last term  $a_n$ , the number of terms n, then we can find the sum to n terms by the following equation:  $S_n = \frac{n}{2}\{a + a_n\}$

