





Get better at Math.
Get better at
everything.

Come experience the Cuemath methodology and ensure your child stays ahead at math this summer.





Adaptive Platform



Interactive Visual Simulations



Personalized Attention

For Grades 1 - 10



LIVE online classes by trained and certified experts.

Get the Cuemath advantage

Book a FREE trial class



6th Grade Long Division Worksheet

- Q.1 366 is an example of a(n)
- a. Algebraic equation.
- b. Numerical expression.
- c. Numerical equation.
- d. None of these
- Q.2 Is 59120 completely divisible by 5?
- Q.3 How much is 1,876 ÷ 100?
- Q.4 Maxine has 960 Shirts for sale. If each rack holds 48 Shirts, how many racks will she need?
- Q.5 Sam drives a car 150 miles in 3 hours. Find the speed of the car.
- Q.6 If Jack has 540 apples and he wants to distribute all the apples equally among the 12 children, how many apples can each child have?



- Q.7 An orchard has yielded 1,566 oranges in September 2019. All oranges are packed into 9 boxes and delivered to a nearby supermarket. How many oranges does each box contain?
- Q.8 The Cricket team scored a total of 2520 runs during 90 matches. What was the average of runs per game?



Q.9 Beatriz has a book of 690 pages. If Beatriz took a day reading 10 pages, in how many days Beatriz finished the book?



Q. 10 Solve the following by long division method:



When you learn math in an interesting way, you never forget.



25 Million

Math classes & counting

100K+

Students learning Math the right way

20+ Countries

Present across USA, UK, Singapore, India, UAE & more.

Why choose Cuemath?

"Cuemath is a valuable addition to our family. We love solving puzzle cards. My daughter is now visualizing maths and solving problems effectively!"

"Cuemath is great because my son has a one-on-one interaction with the teacher. The instructor has developed his confidence and I can see progress in his work. One-on-one interaction is perfect and a great bonus."

"I appreciate the effort that miss Nitya puts in to help my daughter understand the best methods and to explain why she got a problem incorrect.

She is extremely patient and generous with Miranda."

- Gary Schwartz

- Kirk Riley

- Barbara Cabrera

Get the Cuemath advantage

Book a FREE trial class





ANSWERS

| 1. | 2. | Yes | 3. | 18.76 | 4. | 20 | |
|-----------------------|----|-----|----|-------|----|----|-------------|
| Numerical expression. | | | | | | | miles/hours |
| 6. 45 | 7. | 174 | 8. | 28 | 9. | 69 | 10. 363.8 |



FUN FACT

- 1. De-Morgan introduced / sign to use as the alternative symbol of division.
- 2. When a number is divided by itself, the result is always 1.
- 3. Any number divided by infinite gives the result 0.

