





Get better at Math.
Get better at
everything.

Come experience the Cuemath methodology and ensure your child stays ahead at math this summer.





Adaptive Platform



Interactive Visual Simulations



Personalized Attention

For Grades 1 - 10



LIVE online classes by trained and certified experts.

Get the Cuemath advantage

Book a FREE trial class




More and Less Worksheets for Kindergarten

Q.1. Color the cake having more candles.





- Q.2. Arrange 8, 3, 2 and 5 in descending order.
- Q.3. Which of the following has more legs?



Q.4. Which house has less windows?








Q.5. Compare and color the right option.



Q.6. Color the apple showing a higher number.



Q.7 Circle the dice having less numbers of dots.



Q.8. State True or False:

7 is more than 10.

Q.9. Circle the group having less caps.





Q.10. Which of the following two numbers is more?

a. 4

b. 6



When you learn math in an interesting way, you never forget.



25 Million

Math classes & counting

100K+

Students learning Math the right way

20+ Countries

Present across USA, UK, Singapore, India, UAE & more.

Why choose Cuemath?

"Cuemath is a valuable addition to our family. We love solving puzzle cards. My daughter is now visualizing maths and solving problems effectively!"

"Cuemath is great because my son has a one-on-one interaction with the teacher. The instructor has developed his confidence and I can see progress in his work. One-on-one interaction is perfect and a great bonus."

"I appreciate the effort that miss Nitya puts in to help my daughter understand the best methods and to explain why she got a problem incorrect.

She is extremely patient and generous with Miranda."

- Gary Schwartz

- Kirk Riley

- Barbara Cabrera


Get the Cuemath advantage

Book a FREE trial class






ANSWERS









FUN FACT

- 1. 8 comes between 7 and 9 in counting. 8 is more than 7 and less than 9.
- 2. The symbol > or < are called logical operators as it is used to compare.
- 3. Removing 0's reduces the value of a number. For example 20 > 2 as one 0 is removed.