

Get better at Math.
Get better at
everything.



Come experience the Cuemath methodology and ensure your child stays ahead at math this summer.



**Adaptive
Platform**



**Interactive Visual
Simulations**



**Personalized
Attention**

For Grades 1 - 10



LIVE online classes
by trained and
certified experts.

Get the Cuemath advantage

Book a FREE trial class

Skip Counting by 100s Worksheet

Q.1. Count by 100s starting with 333 and fill in the missing numbers.



Q.2. Skip count by 100s and fill the missing numbers in the balloon.




Q.3. Skip count forward by 100.

400, , , ,

Q.4. Ending at 1200, skip count backward by 100.

, , , , 1200

Q.5. Identify the skip count.



- a. 10
- b. 100
- c. 35
- d. 45

Q.6. Beginning at 3500, 100 backward skips of 10 will get you to which number?

Q.7. Find the numbers A and B by identifying the skip count from the number line shown below.



Q.8. Using skip count by 100s place the below numbers in ascending order.

4300, 4500, 4400, 4600

Q.9. Maria has to arrange a certain number of books in the library. Each shelf can hold up to 6 books. If Maria skip counted for 100 times and arranged them, then how many books did she arrange in the boxes?

Q.10. Starting from the number 1800, how many forward jumps should you take to reach 2300, considering skip count by 100.

When you learn math
in an interesting way,
you never forget.



25 Million

Math classes &
counting

100K+

Students learning
Math the right way

20+ Countries

Present across USA, UK,
Singapore, India, UAE & more.

Why choose Cuemath?

"Cuemath is a valuable addition to our family. We love solving puzzle cards. My daughter is now visualizing maths and solving problems effectively!"

- Gary Schwartz

"Cuemath is great because my son has a one-on-one interaction with the teacher. The instructor has developed his confidence and I can see progress in his work. One-on-one interaction is perfect and a great bonus."

- Kirk Riley

"I appreciate the effort that miss Nitya puts in to help my daughter understand the best methods and to explain why she got a problem incorrect. She is extremely patient and generous with Miranda."

- Barbara Cabrera

Get the Cuemath advantage

Book a FREE trial class

**ANSWERS**

1)	333, <u>433</u> , 533, 633, <u>733</u> , 833
2)	800, <u>900</u> , <u>1000</u> , <u>1100</u> , <u>1200</u>
3)	800, <u>900</u> , <u>1000</u> , <u>1100</u> , 1200
4)	<u>500</u> , <u>600</u> , <u>700</u> , <u>800</u> , <u>900</u> , 1000
5)	b.
6)	2500

7)	$A = 2300$ $B = 2500$
8)	4300, 4400, 4500, 4600
9)	600
10)	5

FUN FACT

1. Skip counting by 5 gives multiples of 5.
2. Skip counting is like a jump from counting to basic addition.
3. Skip counting by 100 also holds application in solving multiplication arrays.

