

Get better at Math.  
Get better at  
everything.



Come experience the Cuemath methodology and ensure your child stays ahead at math this summer.



**Adaptive  
Platform**



**Interactive Visual  
Simulations**



**Personalized  
Attention**

For Grades 1 - 10



LIVE online classes  
by trained and  
certified experts.

Get the Cuemath advantage

**Book a FREE trial class**

## Solve Systems of Equations by Elimination Worksheets

**For questions (1-5), solve the following pair of linear equations:**

1)  $y = \frac{1}{2}x$   
 $3x + 4y = 20$

2)  $2x + 3y = 5$   
 $x - 2y - 3 = 0$

3)  $2m + n = -8$   
 $-4m + n = 40$

4)  $9p + 8q - 22 = 0$   
 $3p + 2q = 7$

5)  $x + y = 11$   
 $-x + y = 9$

6) The pair of equation  $-5r + 7s = 14$  and  $10r - 14s = -28$  have  
A. a unique solution  
B. exactly two solutions  
C. infinitely many solutions  
D. no solution

7) The father's age is eight times his son's age. After seven years, the age of the father will be one less than four times his son's age. Find the present age of the father and the son.

8) The angles of a triangle are  $a$ ,  $b$ , and  $29^\circ$ . The angle  $a$  is more than the angle  $b$  by  $53^\circ$ . Find  $a$  and  $b$ .

- 9) In an examination, 3 marks are awarded for every correct answer and 1 mark is deducted for every wrong answer. Lucas answered 88 questions and got 232 marks. Find the number of questions that he got correct.
- 10) The cost of **2lbs** apples and **1lb** strawberries was found to be **\$96** and the cost of **1lb** apples and **2lbs** strawberries was found to be **\$81**. Find the cost of **1lb** apples and **1lb** strawberries.



When you learn math  
in an interesting way,  
you never forget.



**25 Million**

Math classes &  
counting

**100K+**

Students learning  
Math the right way

**20+ Countries**

Present across USA, UK,  
Singapore, India, UAE & more.

## Why choose Cuemath?

"Cuemath is a valuable addition to our family. We love solving puzzle cards. My daughter is now visualizing maths and solving problems effectively!"

- Gary Schwartz

"Cuemath is great because my son has a one-on-one interaction with the teacher. The instructor has developed his confidence and I can see progress in his work. One-on-one interaction is perfect and a great bonus."

- Kirk Riley

"I appreciate the effort that miss Nitya puts in to help my daughter understand the best methods and to explain why she got a problem incorrect. She is extremely patient and generous with Miranda."

- Barbara Cabrera

Get the Cuemath advantage

**Book a FREE trial class**

## ANSWERS

1)	$x = 4$ $y = 2$
2)	$x = \frac{19}{7}$ $y = \frac{-1}{7}$
3)	$m = -8$ $n = 8$
4)	$p = 2$ $q = \frac{1}{2}$
5)	$x = 1$ $y = 10$
6)	(C)

7)	40 years, 5 years
8)	$a = 49^\circ$ $b = 102^\circ$
9)	56
10)	Cost of <b>1lb</b> apple = \$37 Cost of <b>1lb</b> strawberry = \$22



## FUN FACT

1. The elimination method helps us to find the solution (value of the variable) in a linear pair of equation of the form  $ax + by + c = 0$ , where  $x$  and  $y$  are the variables.
2. Each solution  $(x, y)$  corresponds to the point on the line representing the equation.
3.  $(x, y)$  can have unique, infinite or no solutions for a pair of linear

