

Get better at Math.  
Get better at  
everything.



Come experience the Cuemath methodology and ensure your child stays ahead at math this summer.



**Adaptive  
Platform**



**Interactive Visual  
Simulations**



**Personalized  
Attention**

For Grades 1 - 10



LIVE online classes  
by trained and  
certified experts.

Get the Cuemath advantage

**Book a FREE trial class**

## SUBTRACTING MIXED NUMBERS WORKSHEET-II

- 1) Joanna and her friends went out for dinner to a nearby restaurant. The dinner was scheduled to last for  $2\frac{3}{5}$  hours but one of her friends left  $\frac{4}{5}$  earlier. How long did her friend stay at the restaurant?



- 2) The difference of  $1\frac{8}{10}$  and  $1\frac{4}{5}$  is:

- a) 0
- b) 1
- c) 2
- d) None of the above

- 3) Check whether the following equation is correct or not.

$$4\frac{2}{7} - 1\frac{3}{5} = 2\frac{24}{35}$$

- 4) Match the columns:

A	B
1. $1\frac{1}{12} - \frac{2}{3}$	a. $2\frac{1}{18}$
2. $2\frac{5}{9} - \frac{1}{2}$	b. $\frac{7}{6}$
3. $4\frac{6}{9} - 3\frac{1}{2}$	c. $\frac{5}{12}$

- 5) Fill in the blanks:

The common denominator of  $3\frac{7}{17}$  and  $1\frac{5}{3}$  is \_\_\_\_.

6) Find the difference of the following mixed fractions:

$$4\frac{4}{7} - 1\frac{2}{3} - 2\frac{1}{4}$$

7) Find the missing term:

$$? + 2\frac{9}{11} = 3\frac{2}{7}$$

8) Jim worked part-time at a restaurant down the street. His usual shift is  $3\frac{1}{3}$  hours per day. Except on Fridays, he covered  $\frac{6}{7}$  hours less than his usual shift. How much did he work on Fridays?



9) A number is  $2\frac{1}{7}$  lesser than the fraction  $4\frac{2}{7}$ . Find the number.

10) A \_\_\_\_\_ fraction is the sum of a whole number and a proper fraction.

When you learn math  
in an interesting way,  
you never forget.



**25 Million**

Math classes &  
counting

**100K+**

Students learning  
Math the right way

**20+ Countries**

Present across USA, UK,  
Singapore, India, UAE & more.

## Why choose Cuemath?

"Cuemath is a valuable addition to our family. We love solving puzzle cards. My daughter is now visualizing maths and solving problems effectively!"

- Gary Schwartz

"Cuemath is great because my son has a one-on-one interaction with the teacher. The instructor has developed his confidence and I can see progress in his work. One-on-one interaction is perfect and a great bonus."


- Kirk Riley

"I appreciate the effort that miss Nitya puts in to help my daughter understand the best methods and to explain why she got a problem incorrect. She is extremely patient and generous with Miranda."

- Barbara Cabrera

Get the Cuemath advantage

**Book a FREE trial class**



## ANSWERS

1)	$1\frac{4}{5}$ hours
2)	a)
3)	Correct
4)	1--c; 2--a; 3--b
5)	51
6)	$\frac{55}{84}$
7)	$\frac{36}{77}$
8)	$2\frac{10}{21}$ hours
9)	$2\frac{1}{7}$
10)	mixed

## FUN FACT

1. The fraction whose numerator is smaller than the denominator is known as proper fraction.
2. Every [fraction](#) with [denominator](#) of powers of 10 can be written as a decimal notation.
3. The word [fraction](#) is derived from the Latin word "fractio", which means "to break".

