

Get better at Math.
Get better at
everything.



Come experience the Cuemath methodology and ensure your child stays ahead at math this summer.



**Adaptive
Platform**



**Interactive Visual
Simulations**



**Personalized
Attention**

For Grades 1 - 10



LIVE online classes
by trained and
certified experts.

Get the Cuemath advantage

Book a FREE trial class

Subtraction with Regrouping Worksheet-2

1. What must be added to 27 to get 70?
2. Subtract 34 from 52.

-	5	2	
	3	4	

3. Two buses are going for a one day school trip. The total capacity of each of those buses is 50.



Find the number of children that can be seated in each of the buses based on the information given below.

Bus	Number of children already seated	Number of seats left
1	42	
2	38	

4. Fill the blank given:

238 is greater than 49 by _____.

5. Melissa is going to visit zoo with her family. If the distance from home to zoo is 112 miles and she has already covered 58 miles. How many more miles do they have to travel to reach the zoo?



6. Fill the given space.

$$56 + \boxed{} = 72$$

7. Find the difference between 91 and 130.

8. Color the correct answer.

$$345 - 99$$

244

245

246

256

266

9. Subtract 456 from 784.

10. For school fair, Sam has to cook 350 cookies. If he has already made 265 cookies, how many cookies are left to be cooked?



**When you learn math
in an interesting way,
you never forget.**



25 Million

Math classes &
counting

100K+

Students learning
Math the right way

20+ Countries

Present across USA, UK,
Singapore, India, UAE & more.

Why choose Cuemath?

"Cuemath is a valuable addition to our family. We love solving puzzle cards. My daughter is now visualizing maths and solving problems effectively!"

- Gary Schwartz

"Cuemath is great because my son has a one-on-one interaction with the teacher. The instructor has developed his confidence and I can see progress in his work. One-on-one interaction is perfect and a great bonus."


- Kirk Riley

"I appreciate the effort that miss Nitya puts in to help my daughter understand the best methods and to explain why she got a problem incorrect. She is extremely patient and generous with Miranda."

- Barbara Cabrera

Get the Cuemath advantage

Book a FREE trial class



ANSWERS

1)	43
2)	18
3)	8, 12
4)	189
5)	54 miles
6)	16
7)	39
8)	246
9)	328
10)	85 cookies

FUN FACT

1. Any subtraction problem can be transformed to an [addition](#) problem and vice-versa.
2. [Subtracting](#) 0 from any number gives the number itself as the difference.
3. The terms such as "Minus", "Less", "Difference", "Decrease", "Take Away" and "Deduct" indicates that you need to subtract one number from another.

