





Get better at Math.
Get better at
everything.

Come experience the Cuemath methodology and ensure your child stays ahead at math this summer.





Adaptive Platform



Interactive Visual Simulations



Personalized Attention

For Grades 1 - 10



LIVE online classes by trained and certified experts.

Get the Cuemath advantage

Book a FREE trial class



Subtraction Without Regrouping Worksheets

- Q.1) Find the difference between the following numbers.
- a.) 7328

-2021

b.) 3888

-1853

Q.2) Subtract the following numbers.

a.) 90-10 = ____

b.) 500-200 = ____

c.) 2000-1000 = ____

Q.3) Solve the following numbers with the help of the number line.

81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 100

a.) $99 - 3 = ___$

b.) 98 - 6 = ___



Q.4) Holly had 9 candies in her candy jar. If 3 were stick candies, and the remaining were candy balls, how many candy balls were there?



Q.5) Jerry had 36 marbles. He gave 15 to Joe. How many marbles are left with him now?



Q.6) Match the following.

a.) 26 - 25	i.)	5
b.) 15 - 10	ii.)	1
c.) 900 - 200	iii.)	30
d.) 60 - 30	iv.)	700

Q.7) Find the missing numbers. 0, 30



Q.8) A florist had 188 daffodils and tulips in all. If he had 67 daffodils, how many tulips were there?



(0.9)	Choose	the o	option	which	aives 50	as the	difference
\mathcal{Q}	C11003C		Spanon	VVIIICII	9146336		anner en ee

a.) 90

- 30

b.) 80

- 30

Q.10) 8 honeybees set off to collect nectar. 2 of them came back early. How many have not returned yet?





When you learn math in an interesting way, you never forget.



25 Million

Math classes & counting

100K+

Students learning Math the right way

20+ Countries

Present across USA, UK, Singapore, India, UAE & more.

Why choose Cuemath?

"Cuemath is a valuable addition to our family. We love solving puzzle cards. My daughter is now visualizing maths and solving problems effectively!"

"Cuemath is great because my son has a one-on-one interaction with the teacher. The instructor has developed his confidence and I can see progress in his work. One-on-one interaction is perfect and a great bonus."

"I appreciate the effort that miss Nitya puts in to help my daughter understand the best methods and to explain why she got a problem incorrect.

She is extremely patient and generous with Miranda."

- Gary Schwartz

- Kirk Riley

- Barbara Cabrera

Get the Cuemath advantage

Book a FREE trial class





ANSWERS

Q.1)	a.) 5307 b.) 2035
Q.2)	a.) 80 b.) 300 c.) 1000
Q.3)	a.) 96 b.) 92
Q.4)	6 candy balls
Q.5)	21 marbles
Q.6)	a-ii b-i c-iv d-iii



Q.7)	a.) 0 b.) 30
Q.8)	121 tulips
Q.9)	b.) 80 - 30 = 50
Q.10)	6 honeybees



FUN FACT

- **1.** Do you know that when we subtract 0 from any number, the difference is the number itself? For example, 8 0 = 8.
- 2. When 1 is subtracted from any number, you get the previous number, or the predecessor. For example, 6 1 = 5.
- 3. Words such as "Minus", "Less",
 "Difference", "Decrease", "Take Away"
 and "Deduct" mean that you need to
 subtract one number from the other.

